



remotely



from a door entry monitor



via PC / Mac




VIP VIDEO DOOR ENTRY KITS:
THE DOOR ENTRY MONITOR AT YOUR FINGERTIPS
New Icona internal unit

Comelit®
Passion. Technology. Design.

ICONA DOOR ENTRY MONITOR ART. 6602W - VIP SYSTEM

NEW MULTIROOM AUDIO DISTRIBUTION FUNCTION FOR KITS 8521, 8522 AND 8531.



WITH THE NEW MULTIROOM AUDIO DISTRIBUTION FUNCTION, YOU CAN:

- Manage music by selecting the album, track or radio stream for each zone.
- Adjust the volume and select random or repeat play modes.
- Synchronise multiple audio zones for playing the same source throughout the house.
- Create a scenario by enabling each audio zone with a different source and volume.
- Import, manage and listen to Spotify playlists (only with a subscription to Spotify Premium).



Spotify



RADIO STREAMING

THE DOOR ENTRY MONITOR GOES MOBILE

VIP KITS make it possible to control your video entry phone system on smartphones, tablets and computers, both locally and remotely. The **Comelit VIP Remote App** (available to download free of charge) for iOS and Android devices or the **PC-Intercom** software can be used to answer calls from the external unit, make intercom calls, view images from the external unit camera and manage gate and door opening.

Comelit ViP Remote App

The Comelit ViP Remote APP can be used to manage door entry and other advanced functions, locally via Wi-Fi and remotely via 3G or 4G networks. The Comelit App is available for both smartphones and tablets.



THE MENU CAN BE USED TO:

- 1 - answer video entry phone calls
- 2 - view and manage cameras outside and inside the home
- 3 - call other door entry monitors or door-entry phones in the App contacts list
- 4 - call other devices (smartphones / tablets) in the contacts list which have the APP installed
- 5 - manage door entry monitors, even remotely, via Wi-Fi / 3G or 4G LTE

* Same functions as the PC-Intercom software for PC or Mac







The APP can be downloaded free of charge from the App Store or Google Play

PC-Intercom

Software on USB stick that allows a PC to be used for answering calls as if it were a door entry monitor. For installation and use on a PC / Mac wired directly to the ViP door entry monitor system.



SOLUTIONS FOR ALL REQUIREMENTS

ANSWER FROM:	KIT 8513HIM	KIT 8501HIM	KIT 8504H (ANTI-VANDAL)	KIT 8531	KIT 8521 - 8522
 <p>DOOR ENTRY MONITOR</p>				✓	✓
 <p>VIA PC / MAC</p>		✓	✓		
 <p>LOCAL SMARTPHONE / TABLET</p>	✓			✓	✓
 <p>REMOTE SMARTPHONE / TABLET</p>	✓			✓	

H264 TECHNOLOGY

H264 video coding offers improved data transmission to mobile devices, making the ViP system compatible with third-party applications and devices and - most importantly - increasing efficiency by reducing the bandwidth required for video transmission. Every component of the Comelit ViP system is compatible with this new type of coding.

KITS

**8513HIM - SINGLE-FAMILY KIT WITH IKALL METAL AND MASTER GATEWAY**

The kit consists of 1 external unit for ViP kits 4894HIM, 1 power supply unit art. 1595, 1 power supply unit art. 1441B, 1 master gateway 1456. The kit is pre-programmed and ready to use, except for 1456 gateway configuration which must be carried out via internal web server. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

**8501HIM - SINGLE-FAMILY KIT WITH IKALL METAL AND PC-INTERCOM**

The kit consists of 1 colour audio/video unit art. 4682HKC, 1 module with 1 button art. 33411M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595 and 1 PC-Intercom software art. 1454K. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

**8504H - SINGLE-FAMILY KIT WITH VANDALCOM AND PC-INTERCOM**

The kit consists of 1 colour audio/video unit art. 4682HKC, 1 module with 1 button art. 3268/1, 1 flush-mounted box art. 3160/1, 1 frame complete with finishing frame art. 3161/1, 1 power supply unit art. 1595 and 1 PC-Intercom software art. 1454K. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

**8531 - SINGLE-FAMILY KIT WITH IKALL METAL AND ICONA, SLAVE GATEWAY**

The kit consists of 1 external unit for ViP kit 4894HIM, 1 power supply unit art. 1595, 1 power supply unit art.1441B, 1 slave gateway art.1456S, 1 Icona monitor art. 6602WK, 1 flush-mounted box art. 6117, 1 wall-mounted bracket art. 6620. The kit is pre-programmed and ready to use, except for 1456S gateway configuration which must be carried out via internal web server. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

**8521 - SINGLE-FAMILY KIT WITH IKALL METAL AND ICONA**

The kit consists of 1 colour audio/video unit art. 4682HKC, 1 module with 1 button art. 33411M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595, 1 power supply unit art.1441B, 1 switch art.1440, 1 Icona monitor art. 6602WK, 1 flush-mounted box art. 6117, 1 wall bracket art. 6620. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

**8522 - TWO-FAMILY KIT WITH IKALL METAL AND ICONA**

The kit consists of 1 colour audio/video unit art. 4682HC, 1 module with 2 buttons art. 33412M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595, 1 power supply unit art.1441, 1 switch art.1440, 2 Icona monitors art. 6602W, 2 flush-mounted boxes art. 6117, 2 wall brackets art. 6620 and 1 4-core Ethernet cable art. 1449. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.



from a door entry monitor

remotely


VIP KIT FOR WI-FI / 3G - 4G APP WITH ICONA DOOR ENTRY MONITOR

The kit allows use of the video entry phone system via a door entry monitor as well as tablets and smartphones on the Wi-Fi network, and on portable devices using 3G (or higher) networks.


The gateway in the pack allows connection of other devices (Comelit VIP door entry monitors or PCs) besides the door entry monitor supplied.

In all cases, the gateway should be connected to an ADSL router or another device guaranteeing local Wi-Fi and mobile 3G connectivity. Depending

on bandwidth limitations, the gateway can serve up to 15 appliances (including door entry monitors, smartphones, tablets and PCs) with 4 simultaneous door entry monitor streams. It also allows "intercom" communication between all of the 16 devices served. For mobile devices, whenever both modes are available and enabled, the APP automatically switches connection, from Wi-Fi to 3G and vice-versa.



VIP KIT RANGE



Art. 8531

SINGLE-FAMILY KIT WITH IKALL METAL AND ICONA, SLAVE GATEWAY

The kit consists of 1 external unit for ViP kit 4894HIM, 1 power supply unit art. 1595, 1 power supply unit art.1441B, 1 slave gateway art.1456S, 1 Icona monitor art. 6602WK, 1 flush-mounted box art. 6117, 1 wall-mounted bracket art. 6620. The kit is pre-programmed and ready to use, except for 1456S gateway configuration which must be carried out via internal web server. The kit can be expanded with other products from the VIP catalogue. Compatible with H.264 video format.



on-site

remote

VIP KIT FOR WI-FI / 3G - 4G LTE APP

The kit allows use of the video entry phone system via tablets and smartphones on the Wi-Fi network, or remotely on 3G (or higher) networks.


The gateway in the pack allows connection of a further 2 devices (Comelit VIP door entry monitors or PCs).

In all cases, the gateway should be connected to an ADSL router or another device guaranteeing local Wi-Fi and mobile 3G connectivity. Depending on bandwidth limitations, the gateway can serve up


to 16 appliances (including door entry monitors, smartphones, tablets and PCs) with 4 simultaneous door entry monitor

streams. It also allows "intercom" communication between all of the 16 devices served.

For mobile devices, whenever both modes are available and enabled, the APP automatically switches connection, from Wi-Fi to 3G and vice-versa.



VIP KIT RANGE



Art. 8513HIM

SINGLE-FAMILY KIT WITH IKALL METAL AND MASTER GATEWAY

The kit consists of 1 external unit for ViP kits 4894HIM, 1 power supply unit art. 1595, 1 power supply unit art. 1441B, 1 master gateway 1456. The kit is pre-programmed and ready to use, except for 1456 gateway configuration which must be carried out via internal web server. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.



on-site

from a door entry monitor

VIP KIT FOR WI-FI APP


The kit allows use of the video entry phone system via a door entry monitor as well as tablets and smartphones on the Wi-Fi network.

The door entry monitor system should nevertheless be connected to an ADSL router or another device guaranteeing Wi-Fi connectivity. Depending on bandwidth limitations, up to 16 appliances (including


door entry monitors, smartphones, tablets and PCs) with 4 simultaneous door entry monitor streams can be connected to the system.

It also allows "intercom" communication between all of the 16 devices served.

Mobile devices can only connect to the system via the Wi-Fi network.



VIP KIT RANGE



Art. 8521


SINGLE-FAMILY KIT WITH IKALL METAL AND ICONA

The kit consists of 1 colour audio/video unit art. 4682HKC, 1 module with 1 button art. 33411M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595, 1 power supply unit art.1441B, 1 switch art.1440, 1 Icona monitor art. 6602WK, 1 flush-mounted box art. 6117, 1 wall bracket art. 6620. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.

Art. 8522

TWO-FAMILY KIT WITH IKALL METAL AND ICONA

The kit consists of 1 colour audio/video unit art. 4682HC, 1 module with 2 buttons art. 33412M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595, 1 power supply unit art.1441, 1 switch art.1440, 2 Icona monitors art. 6602W, 2 flush-mounted boxes art. 6117, 2 wall brackets art. 6620 and 1 4-core Ethernet cable art. 1449. The kit can be expanded with other products from the ViP catalogue. Compatible with H.264 video format.



via PC / Mac


KIT WITH PC-INTERCOM


The kit can be used to fully manage video entry phone calls via LAN (Ethernet or Wi-Fi).

Simply insert the USB stick provided into the computer and install the software to receive calls and communicate with the external unit.

This software comes complete with a user license

and is available for both PC and Mac systems. The key must always be plugged into the computer to ensure correct operation.





Art. 8501HIM

SINGLE-FAMILY KIT WITH IKALL METAL & PC-INTERCOM. ViP SYSTEM

The kit consists of 1 colour audio/video unit art. 4682KC, 1 module with 1 button art. 33411M, 1 flush-mounted box art. 3110/1, 1 frame complete with finishing frame art. 3311/1S, 1 power supply unit art. 1595 and 1 PC-Intercom software art. 1454K. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue.


Art. 8504H

SINGLE-FAMILY KIT WITH VANDALCOM & PC INTERCOM. ViP SYSTEM

The kit consists of 1 colour audio/video unit art. 4682KC, 1 module with 1 button art. 3268/1, 1 flush-mounted box art. 3160/1, 1 frame complete with finishing frame art. 3161/1, 1 power supply unit art. 1595 and 1 PC-Intercom software art. 1454K. The kit is pre-programmed and ready to use. The kit can be expanded with other products from the ViP catalogue.

THE COMPLETE, SIMPLE AND VERSATILE ViP INTERNET PROTOCOL SYSTEM

ViP System represents the evolution of video entry technology and the services connected to it, with a new dimension linked to data transmission offering performance suited to modern residential, commercial, industrial and advanced tertiary scenarios: from individual residences to large complexes, in new constructions, renovated buildings and modernised systems and structures alike. Serves an unlimited number of users, with simultaneous conversations and no distance limitations. A single backbone on a LAN (specific or using existing networks), to which the devices are connected via an RJ45 plug.




PC SWITCHBOARD SOFTWARE

Software on USB micro-key for simple management and control of all the typical functions of the porter switchboard. In addition to the classic functions of ViP video door entry monitors, it receives and forwards audio/video calls and manages alarms in the apartments; it has a directory of actuators, internal and external units which, when programmed, easily identify the apartment and the external unit which made the call. It also has a recordings archive which stores all calls (made, managed, lost and forwarded) from internal/external units and alarms. It can also send messages to internal units. The software comes with a user license. To work correctly, the USB micro-key must always be inserted in the computer.



A SYSTEM FOR ALL APPLICATIONS, FROM THE SIMPLEST TO THE MOST COMPLEX

Browse our VIP catalogue and find out about all the potential features of the system.





www.comelitgroup.com

