

## Kit Range

VIDEO DOOR ENTRY SYSTEM



 **Comelit**<sup>®</sup>  
Passion. Technology. Design.



United States of America

Spain

France

Ireland

Great Britain

The Netherlands

Germany

Belgium

Greece

United Arab Emirates

Republic of Singapore

China

**Comelit**  
Passion. Technology. Design.



Comelit's commitment to develop innovative technology continues to be a principle that has made Comelit a world leader in audio video door entry. Our products consistently meet and exceed the dynamic demands of the market's requests; affording people convenience and peace of mind both at the work place and home life. We have done this by turning our ideas into innovative solutions which have brought about constant and advanced progress in the audio/video door entry, access control and CCTV product segments. The many thousands of systems installed worldwide have enhanced and benefited installation professional's ability to offer quality product; while not sacrificing ease of installation.



Passion. Technology. Design.

## Video door entry Kits.

Complete solutions using a one/two user kit expandable up to a 10 user system.



### EXTERNAL UNITS

Idea Audio



Idea Video



iKall



### INTERNAL UNITS

Style



Magis




Smart



Planux



Planux Lux






Kit **Villa**   
 From a single/two-user setup...



Kit **Evolution**   
 ...can be expanded up to 10 users.

**SCHEMATIC SHOWING EXPANDABLE SYSTEM.**



Composition of the kit



# Kit **Villa**

single/two-family





## Style 2 Kit

Style Kit 2 - single user door entry audio kit. Easy to install using only 2 wires. Style Kit 2 has an original and innovative design characterised by its unmistakable and exclusive blue LEDs, by large name label and by high sound quality. Options to add an additional handset or sounder.



## Style 5 Kit

Style Kit 5 is the ideal door entry audio kit which uses 5 wires and is available from single user to four user versions. Style Kit 5 has an original and innovative design characterised by its unmistakable and exclusive blue LEDs, by large name labels and by high sound quality. Options to add an additional handsets or sounders.



### art. 8270

#### Single-User Kit with IDEA

The kit includes:

- N°1 art. 2612 - Style series basic intercom for 2-wire system
- N°1 art. 1200 - 12Vac transformer with 230Vac input
- N°1 art. 3554 - Spare flush mounted box
- N°1 art. 3561 - Surface-mounted external unit 2 wires

### art. 8271

#### Single-User Kit with IDEA

The kit includes:

- N°1 art. 2602 - Style series 4 +1 traditional system Basic intercom
- N°1 art. 1200 - 12Vac transformer with 230Vac input
- N°1 art. 3554 - Spare flush mounted box
- N°1 art. 3551 - Surface-mounted external unit

### art. 8272

#### Two-User Kit with IDEA

The kit includes:

- N°2 art. 2602 - Style series 4 +1 traditional system Basic intercom
- N°1 art. 1200 - 12Vac transformer with 230Vac input
- N°1 art. 3554 - Spare flush mounted box
- N°1 art. 3553 - Surface-mounted external unit

### art. 8273

#### Three-User Kit with IDEA

The kit includes:


- N°3 art. 2602 - Style series 4 +1 traditional system Basic intercom
- N°1 art. 1200 - 12Vac transformer with 230Vac input
- N°1 art. 3573 - 3-Button external unit for 5-wire Stylekit

### art. 8274

#### Four-User Kit with IDEA

The kit includes:

- N°4 art. 2602 - Style series 4 +1 traditional system Basic intercom
- N°1 art. 1200 - 12Vac transformer with 230Vac input
- N°1 art. 3574 - 4-Button external unit for 5-wire Stylekit



# Kit **Villa** single/two-family



## Magis Kit


Single and two user black and white video kit with Magis monitor and Idea entrance panel. Can be expanded up to 16 internal units with additional parts. Manages local door bell and intercom calls while allowing the buttons to be programmed for various services. Compatible with accessories in the Simplebus range. The kit is supplied pre-programmed.

### art. 8471MB Single-Family B/W Kit with IDEA

The kit includes:  
 N° 1 art. 6401E  
 N° 1 art. 4880  
 N° 1 art. 1205/B  
 N° 1 art. 1216  
 N° 1 art. 1215

### art. 8472MB Two-Family B/W Kit with IDEA

The kit includes:  
 N° 2 art. 6401E  
 N° 1 art. 4881  
 N° 1 art. 1205/B  
 N° 1 art. 1216  
 N° 2 art. 1215



#### ACCESSORIES

CODE	DESCRIPTION
4880	1 user external panel for B/W
4881	2 users external panel for B/W
3554	Spare flush mounted box
4887	Waterproof housing for Idea surface-mounted entrance panel
4889	Waterproof shield for Idea flush-mounted entrance panel
6401E	B/W Magis elegance monitor for B/W or colour SB1,SB2 systems
6412	DESK BASE WITH JUNCTION BOX FOR MAGIS MONITOR
6433	ACCESSORY WITH 4 ADDITIONAL BUTTONS FOR MAGIS MONITOR
6434	ACCESSORY WITH 3 ADDITIONAL BUTTONS AND 1 LED MAGIS MONITOR
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series Simplebus top/kit system elegance intercom
1229	Accessory - additional ringtone

1224A	Simplebus system digital switching device
4833/A	Line amplifier for simplebus video systems
1122/A	12-24Vdc-ac general purpose relay
1256	Simplebus system digital relay actuator
1259/A	Switcher for remote cameras
1215	Simplebus2/color/kit connection terminal
1216	Simplebus/kit system terminal
1205/B	12Vac - 20Vdc dual output power supply with 230Vac input
1212/B	20Vdc 14Va power supply with 230Vac input
4576/100	Simplebus system Comelit cable 2x0.5 MM2 + 2x1.5 MM2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 MM2 + 2x1.5 MM2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 MM2 + 2x1.5 MM2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 MM2 + 2x1.5 MM2

# Smart Kit



Available as a single and two user colour video door entry kit. The privacy and intercom functions are standard features of the Smartkit. you are able to have up to 16 monitors in parallel using additional equipment and there are no limitations to the number of entrance panels.

## art. 8471S Single-Family colour Kit with IDEA

The kit includes:

- N°1 art. 6302
- N°1 art. 4882
- N°1 art. 1205/B
- N°1 art. 1215
- N°1 art. 1216
- N°1 art. 6117
- N°1 art. 6320

## art. 8472S Two-Family colour Kit with IDEA

The kit includes:

- N°2 art. 6302
- N°1 art. 4883
- N°1 art. 1205/B
- N°2 art. 1215
- N°1 art. 1216
- N°2 art. 6117
- N°2 art. 6320



### ACCESSORIES

CODE	DESCRIPTION
4882	1 User entrance panel for colour kit
4883	2 User entrance panel for colour kit
3554	Spare flush mounted box
4887	Waterproof housing for Idea surface-mounted entrance panel
4889	Waterproof shield for Idea flush-mounted entrance panel
6302	Smart series sbc/kit system hands-free colour monitor
6312	Desk base with bushing for Smart monitor
6320	Surface-mounted support for Smart monitor
6333	Accessory - additional 5 buttons for Smart monitor
6117	Flush-mounted box for Planux and Smart monitor
6118	Plasterboard fixing kit for Planux and Smart monitors
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series Simplebus top/kit system elegance intercom

1229	Accessory - additional ringtone
1224A	Simplebus system digital switching device
4833C	Line amplifier for Simplebus color video systems
1122/A	12-24Vdc-ac general purpose relay
1256	Accessory - Simplebus system digital relay actuator
1259C	Accessory - Simplebus/colour kit for separate video cameras
1215	Connection terminal
1216	Simplebus/kit system terminal
1205/B	12Vac - 20Vdc dual output power supply with 230vac input
1212/B	20Vdc 14va power supply with 230vac input
4576/100	Simplebus system Comelit cable 2x0.5 MM2 + 2x1.5 MM2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 MM2 + 2x1.5 MM2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 MM2 + 2x1.5 MM2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 MM2 + 2x1.5 MM2

# Kit Evolution

up to 10 users



# Smart Kit



A single and two-user colour video entry phone system kit. The privacy and intercom functions are standard features of the Smartkit. In order to use the intercom function, the single-user kit must be expanded with one or more additional door-entry phones/monitors. The kit can be used as a system base, to create systems to which a maximum of 10 residences are connected. The kits can be expanded with additional entrance panels and 3 monitors per residential unit; this can be expanded to a maximum of 16 units through the addition of art. 1252.

## art. 8171S

### Single-Family colour Kit with iKall

The kit includes:

- N° 1 art. 6302
- N° 1 art. 6117
- N° 1 art. 6320
- N° 1 art. 1207
- N° 1 art. 1215
- N° 1 art. 1216
- N° 1 art. 4878KC

## art. 8172S

### Two-Family colour Kit with iKall

The kit includes:

- N° 2 art. 6302
- N° 2 art. 6117
- N° 2 art. 6320
- N° 1 art. 1207
- N° 2 art. 1215
- N° 1 art. 1216
- N° 1 art. 4879KC



## ACCESSORIES

CODE	DESCRIPTION
4878KC	iKall simplebus kit single family colour external unit
4879KC	iKall simplebus kit two family colour external unit
31121	Natural anodised aluminium rain shield
31161	Natural anodised aluminium housing with rain shield
4680KC	iKall series simplebus kit colour audio/video unit
6302	Smart series SBC/Kit system hands-free colour monitor
6312	Desk base with bushing for Smart monitor
6320	Surface-mounted support for Smart monitor
6333	Accessory - additional 5 buttons for Smart monitor
6117	Flush-mounted box for Planux and Smart monitor
6118	Plasterboard fixing kit for Planux and Smart monitors
1207	Power supply for simplebus kit - iKall
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series Simplebus top/kit system elegance intercom
1229	Accessory - additional ringtone
1224A	Simplebus system digital switching device
4833C	Line amplifier for Simplebus color video systems
1122/A	Simplebus system digital switching device
1256	Accessory - Simplebus system digital relay actuator
1259C	Accessory - Simplebus/colour kit for separate video cameras
1215	Connection terminal
1216	Simplebus/kit system terminal
1212/B	20Vdc 14va power supply with 230vac input
4576/100	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 MM2 + 2x1.5 MM2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 MM2 + 2x1.5 MM2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 MM2 + 2x1.5 MM2

# Kit **Evolution** up to 10 users

## Planux Kit



A single and two-user colour video entry phone system kit. In order to use the intercom function, the single-user kit must be expanded with one or more additional door-entry phones/monitors. The kit can be used as a system base, to create systems to which a maximum of 10 residences are connected. The kits can be expanded with additional entrance panels and 3 monitors per residential unit; this can be expanded to a maximum of Single-User Colour Kit 16 units through the addition of art. 1252.

### art. 8171IP

#### Single-Family colour Kit with iKall

The kit includes:

- N° 1 art. 6101W
- N° 1 art. 6101N
- N° 1 art. 6114KC
- N° 1 art. 6117
- N° 1 art. 6120
- N° 1 art. 1207
- N° 1 art. 1214KC
- N° 1 art. 1216
- N° 1 art. 4878KC

### art. 8172IP

#### Two-Family colour Kit with iKall

The kit includes:

- N° 2 art. 6101W
- N° 2 art. 6101N
- N° 2 art. 6114KC
- N° 2 art. 6117
- N° 2 art. 6120
- N° 1 art. 1207
- N° 2 art. 1214KC
- N° 1 art. 1216
- N° 1 art. 4879KC



### ACCESSORIES

CODE	DESCRIPTION
4878KC	iKall Simplebus kit single family colour external unit
4879KC	iKall Simplebus kit two family b/w external unit
31121	Natural anodised aluminium rain shield
31161	Natural anodised aluminium housing with rain shield
4680KC	iKall series Simplebus kit colour audio/video unit
6101B	Planux series hands-free colour monitor - absolute black
6101W	Planux series hands-free colour monitor - white
6114KC	Planuxkit colour additional bracket
6112	Desk base with junction box for Planux monitor
6117	Flush-mounted box for planux and Smart monitor
6118	Flush-mounted box for Planux and Smart monitor
6120	Surface-mounted support for Planux monitor
6121	High surface-mounted support for Planux monitor
6122	Tilting accessory for Planux monitors
1207	Power supply for simplebus kit - iKall
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series Simplebus top/kit system elegance intercom
1229	Accessory - additional ringtone
1224A	Simplebus system digital switching device
4833C	Line amplifier for Simplebus color video systems
1122/A	12-24Vdc-ac general purpose relay
1256	Accessory - Simplebus system digital relay actuator
1259C	Accessory - Simplebus/colour kit for separate video cameras
1214KC	Connecting terminal for colour kit
1216	Simplebus/kit system terminal
1212/B	20Vdc 14va power supply with 230vac input
4576/100	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 Mm2 + 2x1.5 Mm2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 Mm2 + 2x1.5 Mm2

# Planux Lux Kit



A single colour video entry phone system kit. In order to use the intercom function, the single-user kit must be expanded with one or more additional door-entry phones/monitors. The kit can be used as a system base, to create systems to which a maximum of 10 residences are connected. The kits can be expanded with additional entrance panels and 3 monitors per residential unit; this can be expanded to a maximum of 16 units through the addition of art. 1252.

## art. 81711PLW

### Single-Family colour Kit with iKall

The kit includes:


- N° 1 art. 6101W/C
- N° 1 art. 6114KC
- N° 1 art. 6117
- N° 1 art. 1207
- N° 1 art. 1214KC
- N° 1 art. 1216
- N° 1 art. 4878KC

## art. 81711PLB

### Single-Family colour Kit with iKall

The kit includes:

- N° 1 art. 6101B/C
- N° 1 art. 6114KC
- N° 1 art. 6117
- N° 1 art. 1207
- N° 1 art. 1214KC
- N° 1 art. 1216
- N° 1 art. 4878KCC



## ACCESSORIES

CODE	DESCRIPTION
4878KC	iKall Simplebus kit single family colour external unit
31121	Natural anodised aluminium rain shield
31161	Natural anodised aluminium housing with rain shield
4680KC	iKall series Simplebus kit colour audio/video unit
6101B/C	Planux lux series hands-free colour monitor - black
6101W/C	Planux lux series hands-free colour monitor - white
6114KC	Planuxkit colour additional bracket
6117	Flush-mounted box for Planux and smart monitors
6118	Plasterboard fixing kit for Planux and smart monitors
6101L/C	White colour template for video Planux Lux
6101N/C	Black colour template for video Planux Lux
1207	Power supply for Simplebus kit - iKall
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series simplebus top/kit system elegance intercom
1229	Accessory - additional ringtone
1224A	Simplebus system digital switching device

4833C	Line amplifier for Simplebus color video systems
1122/A	12-24Vdc-ac general purpose relay
1256	Accessory - Simplebus system digital relay actuator
1259C	Accessory - Simplebus/colour kit for separate video cameras
1214KC	Connecting terminal for colour kit
1216	Simplebus/kit system terminal
1212/B	20Vdc 14va power supply with 230vac input
4576/100	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 Mm2 + 2x1.5 Mm2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 Mm2 + 2x1.5 Mm2

# Kit **Evolution** up to 10 users

## Planux Memo Kit



A single and two-family colour video entry phone system kit. In order to use the intercom function, the single-family kit must be expanded with one or more additional door-entry phones/monitors. The kit can be used as a system base, to create systems to which a maximum of 10 residences are connected. The kits can be expanded to create solutions with 2 or more external units and 3 monitors per residential unit; this can be expanded to a maximum of Single-Family Colour Kit 16 units through the addition of art. 1252.

### art. 8171M

#### Single-Family colour Kit with iKall

The kit includes:

N° 1 art. 6101WM

N° 1 art. 6214KC

N° 1 art. 6117

N° 1 art. 6120

N° 1 art. 1207

N° 1 art. 4878KC




### ACCESSORIES

CODE	DESCRIPTION
4878KC	iKall Simplebus kit single family colour external unit
31121	Natural anodised aluminium rain shield
31161	Natural anodised aluminium housing with rain shield
4680KC	iKall series Simplebus kit colour audio/video unit
6101WM	White Planux hands-free colour monitor with memovideo
6214KC	Simplebus top bracket for Planux memo and Planux Manager
20002201B	Spare black faceplate for Planux Manager
6112	Desk base with junction box for Planux monitor
6117	Flush-mounted box for planux and Smart monitor
6118	Plasterboard fixing kit for planux and Smart monitors
6120	Surface-mounted support for Planux monitor
6121	High surface-mounted support for Planux monitor
6122	Tilting accessory for Planux monitors
1207	Power supply for simplebus kit - iKall
2608	Style series Simplebus system basic intercom
2628	Style series Simplebus 2 system elegance intercom - white
2610	Style series Simplebus top/kit system elegance intercom
1229	Accessory - additional ringtone
1224A	Simplebus system digital switching device
4833C	Line amplifier for Simplebus color video systems
4888C	Simplebus colour system power supply mixer
1122/A	12-24Vdc-ac general purpose relay
1256	Accessory - Simplebus system digital relay actuator
1259C	Switcher for remote cameras
1214KC	Connecting terminal for colour kit
1216	Simplebus/kit system terminal
1212/B	20Vdc 14va power supply with 230vac input
4576/100	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 100 m
4576/500	Simplebus system Comelit cable 2x0.5 Mm2 + 2x1.5 Mm2 - 500 m
4578/100	Simplebus external Comelit 100 m cable 2x0.5 Mm2 + 2x1.5 Mm2
4578/500	Simplebus external Comelit 500 m cable 2x0.5 Mm2 + 2x1.5 Mm2



### PLANUX MEMO:

- Touch screen
- Allows recording of up to 100 x 10-second mini films on SD Card
- Polyphonic ringtones on SD Card



8 023903 263619 ccd: 2G31000250

[www.comelitgroup.com](http://www.comelitgroup.com)

