

VIDEO DOOR ENTRY SYSTEMS & KITS KIT AUDIO EXTRA





## KAE5061

# 5-wire single-family audio kit. Extra-Mini.



The kit includes: one Mini series door-entry phone art. 2702W, one transformer art. 1200, one Extra series external unit with 1 call button art. ET5001. The kit can be expanded with another door-entry phone. The external unit can be surface-mounted or flush-mounted using the relevant accessories supplied with the kit.

## AWARDS





**KIT AUDIO EXTRA** 



## KAE5061

## 5-wire single-family audio kit. Extra-Mini.

## **KIT PRODUCTS**



#### ET5001 Extra 4+N. series entrance panel kit. 1 button

Extra series external unit with 1 call button. Stainless steel cover and blue nameplate backlighting. Complete with flush-mount box and wall bracket. Dimensions  $95 \times 135 \times 6.5 \text{ mm}$  (flush) - 25 mm (surface). 5-Wire cabling.

| GENERAL DATA  |           |  |
|---------------|-----------|--|
| Туре          | Monoblock |  |
| Flush-mounted | Yes       |  |
| Wall-mounted  | Yes       |  |



## 2702W 2-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL

MINI series door-entry phone for traditional system with electronic call and key button. Call volume and privacy adjustment by means of 3position selector. Privacy activation is indicated by a red light. Dimensions: 105x191x28 mm

| MAIN FEATURES      |       |  |
|--------------------|-------|--|
| Audio system       | Yes   |  |
| Wall-mounted       | Yes   |  |
| Desk base-mounted  | Si    |  |
| Colour             | White |  |
| Total buttons (n°) | 2     |  |







#### KAE5061

# 5-wire single-family audio kit. Extra-Mini.

## ACCESSORIES

| ET9150 | Flush-mounted box for Extra entrance panel kit<br>Flush-mounted box for Extra series external unit art. ET5001 -<br>ET5002 - ET0001. Dimensions: 134.5 x 93.5 x 25 mm  |
|--------|--|
| ET9160 | Wall bracket for Extra entrance panel kit<br>Wall housing for Extra series external unit art. ET5001 - ET5002 -<br>ET0001. Dimensions: 94 x 134 x 19 mm  |
| 1229   | EXTENSION SOUNDER<br>Additional bell for call repetition can be controlled directly from<br>terminals S- and S+ of the brackets and/or from the telephones.<br>Surfacemounted or on civil series 503 box. Dimensions: 110X75X29<br>mm. |